

Class : XII - 2017-18
Subject : Mathematics
Mock Test Paper - I

SECTION - A

Question numbers 1 to 4 carry 1 mark each

1. State the reason why relation $R = \{(a, b) : a \leq b^2\}$ on the set \mathbb{R} of real numbers is not reflexive.
2. If A is a square matrix of order 3 and $|2A| = k|A|$, then find the value of k .
3. If \vec{a} and \vec{b} are two non-zero vectors such that $|\vec{a} \times \vec{b}| = \vec{a} \cdot \vec{b}$, then find the angle between \vec{a} and \vec{b} .
4. If $*$ is a binary operation on the set \mathbb{R} of real numbers defined by $a * b = a + b - 2$, then find the identity element for the binary operation $*$.

SECTION - B

Question numbers 5 to 12 carry 2 marks each.

5. Simplify: $\cot^{-1} \frac{1}{\sqrt{x^2 - 1}}$ for $x < -1$
6. Prove that the diagonal elements of a skew symmetric matrix are all zeros.
7. If $y = \tan^{-1} \frac{5x}{1 - 6x^2}$, $-\frac{1}{\sqrt{6}} < x < \frac{1}{\sqrt{6}}$, then prove that $\frac{dy}{dx} = \frac{2}{1 + 4x^2} + \frac{3}{1 + 9x^2}$.
8. If x changes from 4 to 4.01, then find the approximate change in $\log_e x$.
9. Find: $\int \left(\frac{1-x}{1+x^2} \right)^2 e^x dx$
10. Obtain the differential equation of the family of circles passing through the points $(a, 0)$ and $(-a, 0)$.
11. If $|\vec{a} + \vec{b}| = 60$, $|\vec{a} - \vec{b}| = 40$ and $|\vec{a}| = 22$, then find $|\vec{b}|$.
12. If $P(A) = \frac{2}{5}$, $P(B) = \frac{1}{3}$, $P(A \cap B) = \frac{1}{5}$, then find: $P(\bar{A} / \bar{B})$

SECTION - C

Question numbers 13 to 23 carry 4 marks each

13. If $A = \begin{bmatrix} 1 & -2 \\ 2 & 1 \end{bmatrix}$, then using A^{-1} , solve the following system of equations: $x - 2y = -1$, $2x + y = 2$.

Pg 13

P.T.O \rightarrow

14. Discuss the differentiability of the function $f(x) = \begin{cases} 2x-1, & x < \frac{1}{2} \\ 3-6x, & x \geq \frac{1}{2} \end{cases}$ at $x = \frac{1}{2}$.

OR

For what value of k is the following function continuous at $x = -\frac{\pi}{6}$?

$$f(x) = \begin{cases} \sqrt{3} \sin x + \cos x, & x \neq -\frac{\pi}{6} \\ x + \frac{\pi}{6} \\ k, & x = -\frac{\pi}{6} \end{cases}$$

15. If $x = a \sin pt$, $y = b \cos pt$, then show that $(a^2 - x^2) y \frac{d^2 y}{dy^2} + b^2 = 0$.

16. Find the equation of the normal to the curve $2y = x^2$, which passes through the point $(2, 1)$.

OR

Separate the interval $[0, \frac{\pi}{2}]$ into subintervals in which the function $f(x) = \sin^4 x + \cos^4 x$ is strictly increasing or strictly decreasing.

17. A magazine seller has 500 subscribers and collects annual subscription charges of ₹ 300 per subscriber. She proposes to increase the annual subscription charges and it is believed that for every increase of ₹ 1, one subscriber will discontinue. What increase will bring maximum income to her? Make appropriate assumptions in order to apply derivatives to reach the solution. Write one important role of magazines in our lives.

18. Find: $\int \frac{\sin x}{(\cos^2 x + 1)(\cos^2 x + 4)} dx$

19. Find the general solution of the differential equation $(1 + \tan y)(dx - dy) + 2xdy = 0$.

OR

Solve the following differential equation: $(1 + e^{\frac{x}{y}}) dx + e^{\frac{x}{y}} (1 - \frac{x}{y}) dy = 0$

20. Prove that: $\vec{a} \cdot ((\vec{b} + \vec{c}) \times (\vec{a} + 2\vec{b} + 3\vec{c})) = [\vec{a} \vec{b} \vec{c}]$

21. Find the values of 'a' so that the lines $\frac{x-1}{2} = \frac{y-2}{3} = \frac{z-a}{4}$, $\frac{x-4}{5} = \frac{y-1}{2} = z$ are skew.

22. A bag contains 4 green and 6 white balls. Two balls are drawn one by one without replacement. If the second ball drawn is white, what is the probability that the first ball drawn is also white?

23. Two cards are drawn successively with replacement from a well shuffled pack of 52 cards. Find the probability distribution of the number of diamond cards drawn. Also, find the mean and the variance of the distribution.

SECTION-D

Question numbers 24 to 29 carry 6 marks each.

24. Let $f: [0, \infty) \rightarrow \mathbb{R}$ be a function defined by $f(x) = 9x^2 + 6x - 5$. Prove that f is not invertible. Modify, only the codomain of f to make f invertible and then find its inverse.

OR

Let * be a binary operation defined on $Q \times Q$ by $(a, b) * (c, d) = (ac, b + ad)$, where Q is the set of rational numbers. Determine, whether * is commutative and associative. Find the identity element for * and the invertible elements of $Q \times Q$.

25. Using properties of determinants, prove that

$$\begin{vmatrix} \frac{(a+b)^2}{c} & c & c \\ a & \frac{(b+c)^2}{a} & a \\ b & b & \frac{(c+a)^2}{b} \end{vmatrix} = 2(a+b+c)^3.$$

OR

If $p \neq 0, q \neq 0$ and $\begin{vmatrix} p & q & p\alpha + q \\ q & r & q\alpha + r \\ p\alpha + q & q\alpha + r & 0 \end{vmatrix} = 0$, then using properties of determinants, prove that at

least one of the following statements is true:

(a) p, q, r are in G.P, (b) α is a root of the equation $px^2 + 2qx + r = 0$.

26. Using integration, find the area of the region bounded by the curves $y = \sqrt{5 - x^2}$ and $y = |x - 1|$.

27. Evaluate the following: $\int_0^{\pi/4} \frac{x \sin x \cos x}{\sin^4 x + \cos^4 x} dx$

OR

Evaluate $\int_0^4 (x + e^{2x}) dx$ as the limit of a sum.

28. Find the equation of the plane through the point $(4, -3, 2)$ and perpendicular to the line of intersection of the planes $x - y + 2z - 3 = 0$ and $2x - y - 3z = 0$. Find the point of intersection of the line $\vec{r} = \vec{i} + 2\vec{j} - \vec{k} + \lambda(\vec{i} + 3\vec{j} - 9\vec{k})$ and the plane obtained above.

29. In a mid-day meal programme, an NGO wants to provide vitamin rich diet to the students of an MCD school. The dietician of the NGO wishes to mix two types of food in such a way that vitamin contents of the mixture contains at least 8 units of vitamin A and 10 units of vitamin C. Food 1 contains 2 units per kg of vitamin A and 1 unit per kg of vitamin C. Food 2 contains 1 unit per kg of vitamin A and 2 units per kg of vitamin C. It costs ₹ 50 per kg to purchase Food 1 and ₹ 70 per kg to purchase Food 2. Formulate the problem as LPP and solve it graphically for the minimum cost of such a mixture.

Mock Test Paper - I (Answers)

Ans 1) The relation $R = \{(a, b) : a \leq b^2\}$ on the set R is not reflexive because $\frac{1}{3} > \left(\frac{1}{3}\right)^2$
 $\Rightarrow (a, a) \notin R$

Ans 2) $k = 8$

Ans 3) $\pi/4$

Ans 4) 2

Ans 5) $\sec^{-1} x$

Ans 8) 0.0025

Ans 9) $\frac{e^x}{1+x^2} + C$

Ans 10) $(x^2 - y^2 - a^2)y' = 2xy$

Ans 11) $|B| = 46$

Ans 12) $7/10$

Ans 13) $A^{-1} = \frac{1}{5} \begin{bmatrix} 1 & 2 \\ -2 & 1 \end{bmatrix}$

Ans 14) Not differentiable at $x = 1/2$

\hookrightarrow OR $\rightarrow k = 2$

Ans 15) $x + 2^{2/3}y = 2 + 2^{2/3}$

Ans 16) OR \rightarrow It's dec on $[0, \pi/4)$ & it's inc on $(\pi/4, \pi/2]$.

Ans 17) An increase of ₹ 100 will bring maximum income to her.
+ (Any one imp. role).

Ans 18) $-\frac{1}{3} \tan^{-1}(\cos x) + \frac{1}{6} \tan^{-1} \frac{(\cos x)}{2} + C$

Ans 19) $x(\cos y + \sin y)e^y = e^y \sin y + C$

\hookrightarrow OR $\rightarrow x + ye^{xy} = C$

Ans 21) $a \neq 3$ i.e. $a \in R - \{3\}$.

Ans 22) $5/9$

Ans 23) $X: \begin{matrix} 0 & 1 & 2 \\ P(X): & 9/16 & 6/16 & 1/16 \end{matrix}$; Mean = $1/2$; Var(X) = $3/8$

Ans 24) Codomain of f should be $[-5, \infty)$ s.t. $f^{-1}: [-5, \infty) \rightarrow [0, \infty)$
s.t. $f^{-1}(y) = \frac{\sqrt{6+y} - 1}{3}$

OR $\rightarrow (1, 0)$ is the identity element for $*$ on $\mathbb{Q} \times \mathbb{Q}$;
Not commutative; yes, associative.

Ans 25) $(\frac{5\pi}{4} - \frac{1}{2})$ sq units

Ans 27) $\frac{\pi^2}{16}$

OR $\rightarrow \frac{15 + e^8}{2}$

Ans 28) $(0, -1, 8)$

Ans 29) Minimum cost of mixture is ₹ 380.

Pg 2/2